



Proficiency testing for veterinary laboratories

Results tabulation for 6128/BA PT0087: Salmonella in animal feed

Distribution Date: 03/04/2009

Culture	09/1264	09/1265	09/1266	09/1267	09/1268
	Salmonella Group/Type				
Intended	-ve	+ve	+ve	-ve	-ve
	-ve	S enteritidis	S typhimurium	Sterile	-ve
1002	Negative	S Enteritidis	S Typhimurium	Negative	Negative
1133	Not Salm	Grp D	Grp B	No growth	Not Salm
1143	NEGATIVE	GROUP D	GROUP B	NEGATIVE	NEGATIVE
1246	Negative	S.enteritidis	S.typhimurium	Negative	Negative
1250	negative	S. Enteritidis	S. Typhimurium	negative	negative
1374	Negative	Group D	Group B	Negative	Negative
1388	not detected	no growth	detected	no growth	not detected
1695	absent	present	present	absent	absent
1854	-ve	S. Enteritidis	S. Typhimurium	-ve	-ve
1901	Nil Return				
2015	negative	group D	group B	negative	negative
2131	not detected	DETECTED (O9)	DETECTED (O4,5)	not detected	not detected
2132	Negative	S.enteritidis	S. typhimurium	No Growth	Negative
2167	Negative	S. Enteritidis	S. Typhimurium	Negative	Negative
2170	negative	Salmonella sp.	Salmonella sp.	negative	negative

Sample 09/1264 = 09/1268.

Test Consultant's Comments - Provided by Diane Dawson, Quality Assurance Unit Sutton Bonington

A very good set of results with all laboratories reporting the correct results for all 5 samples with the exception of laboratory 1901 who was a nil return and laboratory 1388 who reported sample 09/1265 as no growth. This sample was a pure culture of Salmonella enteritidis.



Version: 19/03/2008

Paula Johnson
Head/Deputy Head of QA Unit
College Road, Sutton Bonington,
Loughborough, Leicestershire. LE12 5RB UK
Authorised: 29/04/2009

Printed: 29/4/2009